

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 6 | PROTECTED CRYPTOGRAPHIC CALCULATION | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 20:57 |
| L2 | 2563 | 380/28.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:00 |
| L3 | 71 | RSA same private key same parameters same (checksum or CRC or hash\$4 or integrity check \$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:06 |
| L4 | 81 | RSA same (RSA or private) key same parameters same (checksum or CRC or hash\$4 or integrity check \$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:06 |
| L5 | 0 | crypto\$5 near attack\$4 same RSA same (RSA or private) key same parameters same (checksum or CRC or hash\$4 or integrity check \$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:07 |
| L6 | 0 | crypto\$5 near attack\$4 and RSA same (RSA or private) key same parameters same (checksum or CRC or hash\$4 or integrity check \$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:07 |
| L7 | 43 | attack\$4 and RSA same (RSA or private) key same parameters same (checksum or CRC or hash\$4 or integrity check \$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:07 |

| | | | | | | |
|-----|----|--|---|-----|----|---------------------|
| L8 | 48 | (hack\$4 or attack\$4) and RSA same (RSA or private) key same parameters same (checksum or CRC or hash\$4 or integrity check\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:08 |
| L9 | 35 | cryptography and (hack\$4 or attack\$4) and RSA same (RSA or private) key same parameters same (checksum or CRC or hash\$4 or integrity check\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:08 |
| L10 | 40 | (calculat\$4 or cryptography) and (hack\$4 or attack\$4) and RSA same (RSA or private) key same parameters same (checksum or CRC or hash\$4 or integrity check\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:08 |
| L11 | 12 | (calculat\$4 and cryptography) and (hack\$4 or attack\$4) and RSA same (RSA or private) key same parameters same (checksum or CRC or hash\$4 or integrity check\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:09 |
| L12 | 0 | ((calculat\$4 and cryptography) and (hack\$4 or attack\$4) and RSA same (RSA or private) key same parameters same (checksum or CRC or hash\$4 or integrity check\$4)).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:09 |
| L13 | 84 | (BOCKES-MARKUS or DREXLER-HERMANN or KAHL-HELMUT).in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:14 |
| L14 | 2 | "7248700".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:15 |

| | | | | | | |
|-----|------|---|---|-----|----|---------------------|
| L15 | 0 | (prevent\$4 or control\$4) near8 cryptography attach same (RSA or private) near2 (key or parameter) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:25 |
| L16 | 6 | (prevent\$4 or control\$4) near8 cryptography near4 attac\$4 same (RSA or private) near2 (key or parameter) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:25 |
| L17 | 4413 | 713/176.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:38 |
| L18 | 1871 | 380/30.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:38 |
| L19 | 1977 | 380/44.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:38 |
| L20 | 3987 | 713/168.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:39 |
| L21 | 641 | 713/180.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:39 |
| L22 | 11 | 3 and 17 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/13 21:39 |
| S1 | 2 | "20030159036".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/06/29 08:00 |
| S2 | 2 | "20030097628".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/06/29 08:01 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S3 | 1 | "20030159036".pn. and checksum and public | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/06/29 09:21 |
| S4 | 1 | "20030159036".pn. and checksum and "k.sub.t" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/06/29 09:26 |
| S5 | 173 | RSA same private key same parameters | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/06/29 10:15 |
| S6 | 3 | RSA same private key same parameters same checksum | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/06/29 10:20 |
| S7 | 2 | "6959091".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/06/29 10:22 |
| S8 | 61 | RSA near3 CRT | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/06/29 10:42 |
| S9 | 2 | "20030159036".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/02/11 15:39 |
| S10 | 159 | RSA near8 key near8 parameters | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/02/11 17:01 |
| S11 | 2 | "7039027".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/02/12 10:06 |
| S12 | 2 | "11152056".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/02/12 11:09 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S13 | 2 | "20030012374".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/02/12 11:09 |
| S14 | 107 | (mask\$4 or encrypt\$4 or mix\$4 or concat\$4 or \$2cipher\$4 or scramble \$4) near9 (rand\$4 or seed or bit\$1) near9 (segment or compressed or byte\$1 or block) and selective adj (encrypt\$4 or \$2cipher\$4 or scramble\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/02/12 13:40 |
| S15 | 0 | block cipher\$4 same piplin\$4 and (\$2cipher \$4 or scramble\$4 or mask\$4 or encrypt\$4) near9 (flag or selective or sensitive or selected) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/02/12 13:44 |
| S16 | 58 | block cipher\$4 same pipelin\$4 and (\$2cipher \$4 or scramble\$4 or mask\$4 or encrypt\$4) near9 (flag or selective or sensitive or selected) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/02/12 13:44 |
| S17 | 2 | "20060050868".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 09:33 |
| S18 | 5 | "4405829".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 09:44 |
| S19 | 344 | (prime factors or p near4 q) and fault attack | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 09:55 |
| S20 | 346 | (prime factors or p near4 q) and (fault attack or bellcore attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 09:55 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S21 | 2 | "5991415".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 09:57 |
| S22 | 337 | RSA and (prime factors or p near4 q) and (fault attack or bellcore attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 10:12 |
| S23 | 1 | integrity check and RSA and (prime factors or p near4 q) and (fault attack or bellcore attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 10:12 |
| S24 | 75 | (CRC) and RSA and (prime factors or p near4 q) and (fault attack or bellcore attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 10:13 |
| S25 | 73 | (scart card or card or record carrier) and (CRC) and RSA and (prime factors or p near4 q) and (fault attack or bellcore attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 10:14 |
| S26 | 73 | (battery or power) and (scart card or card or record carrier) and (CRC) and RSA and (prime factors or p near4 q) and (fault attack or bellcore attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 10:14 |
| S27 | 2 | "7447913".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 10:18 |
| S28 | 4 | "2003061498".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 10:22 |
| S29 | 2 | "20030061498".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 10:22 |

| | | | | | | |
|-----|----|---|---|-----|----|------------------|
| S30 | 2 | (battery or power) and (scart card or card or record carrier) and (CRC) and RSA near4 CRT and (prime factors or p near4 q) and (fault attack or bellcore attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 10:34 |
| S31 | 3 | (battery or power) and (scart card or card or record carrier) and (CRC or checksum) and RSA near4 CRT and (prime factors or p near4 q) and (fault attack or bellcore attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 10:45 |
| S32 | 3 | (battery or power) and (scart card or card or record carrier) and (CRC or checksum or authenticat\$4 code) and RSA near4 CRT and (prime factors or p near4 q) and (fault attack or bellcore attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/10 10:46 |
| S33 | 0 | (proxy or server or router) near9 recipient near2 IBE near3 private key near6 (decrypt\$4 or decipher\$4 or descrambl \$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/13 12:09 |
| S34 | 0 | (proxy or server or router or gateway) near9 recipient near2 IBE near3 private key near6 (decrypt\$4 or decipher\$4 or descrambl \$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/13 12:10 |
| S35 | 0 | (proxy or server or router or gateway) near15 recipient near5 IBE near5 private key near8 (decrypt\$4 or decipher\$4 or descrambl \$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/10/13 12:10 |
| S36 | 54 | (CRC or checksum or hash\$4) near4 RSA near key | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/11 21:39 |

| | | | | | | |
|-----|----|---|---|-----|----|---------------------|
| S37 | 24 | attack\$4 and (CRC or checksum or hash\$4) near4 RSA near key | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/11 21:39 |
| S38 | 25 | attack\$4 and (integrity check or CRC or checksum or hash\$4) near4 RSA near key | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/11 21:40 |
| S39 | 2 | attack\$4 and (integrity check or CRC or checksum or hash\$4) near4 RSA near3 parameters | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/11 21:40 |
| S40 | 1 | cryptographic attack and (checksum or integrity check or CRC) near4 (RSA or public near2 private) near3 key | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/11 21:42 |
| S41 | 84 | (BOCKES-MARKUS or DREXLER-HERMANN or KAHL-HELMUT).in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/11 21:46 |
| S42 | 4 | (BOCKES-MARKUS or DREXLER-HERMANN or KAHL-HELMUT).in. and cryptography | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/11 21:46 |
| S43 | 2 | (BOCKES-MARKUS or DREXLER-HERMANN or KAHL-HELMUT).in. and integrity check | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2011/03/11 21:47 |

3/13/11 9:48:17 PM

C:\Documents and Settings\eshiferaw\My Documents\EAST\Workspaces\10527570.wsp